



Food & Drink

natural waste water treatment

ARM Group Ltd

natural wastewater treatment



Whether you're thinking about a new reed bed system, or you just want some timely expert advice about effective operation, we can help.



Harnessing natural technology

Ever since natural waste water treatment systems came of age in the 1980s, ARM Ltd has led the way in reed bed and constructed wetland technology.

Working with the UK water companies, councils, contractors, industrial clients and research institutes, we have designed, built and maintained many hundreds of reed bed systems. These range in size from 10m² up to 20,000m², and we have consulted on reed beds of many hundreds of hectares.

Harnessing natural processes, we engineer them to deliver all the advantages of cost-effective, versatile and sustainable wastewater treatment – and we guarantee the performance of every system we design and install.

As the largest dedicated UK company by far in this specialised field, with a reputation dating back to 1947, ARM brings you unique expertise and experience. We can support you at every stage of the process – from initial planning and design through construction and commissioning to ongoing maintenance – ensuring the optimum performance of your reed bed system.

We continue to pioneer new and innovative ideas. Recent developments include an aggregate recycling system to reduce landfill costs and material usage, and a plough to retrofit FBA™ airlines into existing reed beds.

Why use reed beds?

The Chinese used wetlands more than two thousand years ago for their impressive effluent and water treatment capabilities.

Reed beds provide an ideal environment for a wide range of treatment processes. The combination of micro-organisms, plant roots, rhizomes and substrate matrix remove contaminants in a variety of natural ways.

They treat waste water as it flows through the system just like the process in conventional sewage treatment, but without using energy-intensive machinery.

With low maintenance requirements,

low or zero power consumption and a long, productive lifespan, reed bed systems are both proven and sustainable, enhancing any landscape. Their removal mechanisms include settlement, filtration, biological and chemical action, containment and plant uptake. They can reduce levels of soluble organic matter, suspended solids, ammonia, pathogens, hydrocarbons, and metals.

The various types of reed bed can be used in different configurations to treat a variety of pollutants from industrial or municipal sources.

natural wastewater treatment



Performance guaranteed

Our reed beds are used at all stages of the sewage treatment process providing primary, secondary and tertiary treatment as well as sludge dewatering.

They can also extend the life of older treatment works by providing a tertiary polish to effluent, bringing it within regulator consent, and saving capital expenditure.

They are increasingly used for tackling industrial effluent. Uses range from treating fire-fighting foam and metal removal from minewater drainage, to reducing ammonia levels in leachate and removing hydrocarbons from groundwater.

Other applications include treatments connected with:

- agriculture
- pharmaceutical
- food processing
- chemicals
- refinery waste
- distillery wastewater
- airport run off
- Sustainable Urban Drainage Systems (SUDS)

They can also be used to create wetland habitats – enhancing bio-diversity.

Whatever the application, we provide contractual guarantees of effectiveness, performance and quality – so you can be sure you're going to get the results you're looking for.



Our comprehensive range of services includes:

Consultancy: feasibility studies, process design, site surveys, landscape design, and advice on managing future changes

Project management: our experienced managers will look after your entire project from conception through to completion.

Design and build: our turnkey service delivers systems on time and within budget, including liaising with regulators and enforcement authorities on your behalf.

Design and supply of materials and equipment: a service we provide on request, for example to framework contractors.

Construction service: using our design or your own, we make it easy for contractors and save our clients significant amounts of money through design reviews based on experience – without compromising quality or performance.

Field services for system maintenance: we extend the life of your system, bring you peace of mind and help you get the best possible results.

Asset assessment: we evaluate process efficiency, check your system is operating at top performance, and make recommendations.

natural wastewater treatment

ARM Group Ltd

About Us



ARM Group Ltd, a Staffordshire based privately owned company, is the leading designer and constructor of natural waste water treatment systems and associated technologies for the industrial and municipal waste water treatment market in the UK. The Company is noted for its invention and subsequent commercial development of equipment and processes within its chosen markets.


ARM Group Ltd has been trading since 1947 and was originally involved in development, design, manufacture, and construction within Agricultural Engineering. However, in the late 1980s ARM Group Ltd redefined its objectives and moved its customer and product bases into the global market of wastewater treatment specialising in the use of reed bed/wetland systems.

Today the Company operates out of offices in Rugeley, Staffordshire employing 21 people and using Associates and sub-contractors as required.



ARM Group Ltd is broadly divided into seven operating functions these can provide client support either individually, as a team, incorporating the requisite elements, or as a whole providing continuity of support for turnkey solutions from project conception through design construction, commissioning and maintenance, depending on the specific needs of the client. The functions are:

- Sales
- Design
- Project management
- Construction
- Research and Development
- Refurbishment and Maintenance
- Administration





Experience

For the past 30 years ARM Group Ltd have specialised in reed bed and wetland systems having designed and installed over 700 beds during this period. This provides us with unique and extensive experience of their application, design and construction across the wastewater treatment spectrum. Our experience and knowledge has been accumulated through:

- Design and construction of reed bed systems
- Value engineering optimisation
- Application experience
- Working with academic institutions.
- The international constructed wetlands conference circuit
- Presenting papers
- Personal contact with leading researchers
- Working relationships with leading specialist in specific reed bed applications
- Founder member of the Constructed Wetland Association (CWA)
- Founder member of Global Wetland Technology (GWT)
- Over 1000 reed bed surveys

We have designed and constructed reed beds that provide treatment for:

- Mine water
- BOD and COD reduction
- Methanol removal
- Copper removal
- Pathogens
- Landfill leachate
- Hydrocarbons
- Septic tank waste
- Ammonia
- Surface water run off
- Solids
- Sludge dewatering
- Storm water
- Metals
- Glycol



Diageo, Dufftown

Horizontal surface flow



Project

Diageo, Dufftown

Location

Dufftown, Scotland

Project type

Design and construct

Wastewater type

Distillery wastewater

Completion date

July 2007

Treatment

Horizontal surface
flow wetland system

Need

Dufftown Distillery, owned by Diageo, produces 4 million litres of whisky per year. The distillery generates an effluent containing a significant amount of copper that is scoured from the stills during the distillation process and cleaning operations. As Dufftown is located in a remote area and lacks access to mains drainage, wastewater from the distillation process is sent to the on-site effluent treatment plant (bioplant) for treatment before being discharged under consent in to the River Dullan. The wastewater treated at the bioplant comes from three distilleries. It is pumped from the Dufftown Distillery and arrives in road tankers from Mortlach and Glendullan distilleries for treatment. The average flow to the bioplant is 650 m³/d with an average soluble copper level of approximately 1.5 mg/l at the discharge point. With increasing restrictions on maximum consent values, Diageo required a final polishing stage to reduce the copper concentration to below 0.5 mg/l prior to discharge to the River Dullan.

Solution

ARM designed and constructed an 800m² horizontal surface flow reed bed treatment system to remove soluble copper from distillery wastewater. The system has a gravel substrate planted with *Typha latifolia*. Unlike organic pollutants, heavy metals are not degraded in biological processes, but they can be accumulated within the wetland using a variety of removal mechanisms including adsorption, cation exchange and chelation with organic matter and sediments, adsorption to plant surfaces, uptake by plants and precipitation as sulphides and carbonates.



Benefits

The main benefit of the horizontal flow wetlands, like the majority of reed bed treatment systems, is that it can provide a low-cost and low-maintenance treatment solution without the need for chemical or energy-intensive processes. The reed bed system provides an additional level of treatment securing discharges within consent using a low maintenance treatment solution which has no chemical or power requirements.



R B Organic, Yaxley

Horizontal subsurface flow: Vegetable wash water



Project

RB Organic, Cambridgeshire

Location

Yaxley, Peterborough

Project type

Design and construct

Wastewater type

Vegetable wash water

Completion date

September 2007

Treatment


Surface and subsurface
horizontal flow wetland

Need

RB Organic process and supply over 30,000 tonnes of organic vegetables every year. As part of the process soil is washed from the vegetables and the resulting dirty water requires treatment prior to discharge. Historically, the water was treated with chemicals and passed, by batch process, through clarifiers where solids were settled out. Being faithful to the philosophy and ideals of organic farming, RB Organic were keen to eliminate the use of chemicals and reduce the level of labour associated with desludging and chemical dosing operations. The site produces 170m³ of wash water per day which has to meet a standard of less than 30mg/l Suspended Solids and 50 mg/l BOD prior to discharge.

Solution

ARM designed and constructed a 3 stage wetland treatment system to achieve the required removal of solids and BOD from the vegetable wash water. A settlement lagoon drops out the solids and is followed in series by two 800m² wetland systems which provide further settlement of suspended solids and reduction of BOD. The first is a surface flow system with a soil substrate planted with *Typha latifolia* and the second a subsurface flow horizontal reed bed with a gravel substrate planted with *Phragmites australis*.



Benefits

This system provides RB Organic with a wash water treatment system that operates continuously, eliminating the need for costly ongoing chemical use and reducing operational and maintenance labour requirements whilst securing discharges within consent.





Forced Bed Aeration (FBA)


Forced Bed Aeration™ compliments and enhances existing reed bed technology, increasing treatment capacity by up to 15 times.



Forced Bed Aeration™ (FBA™) is a new wastewater treatment technology which enhances constructed wetland treatment performance. Significantly higher contaminant removal rates are attained along with an increased consistency of performance. Developed in the USA, by our partners Naturally Wallace, FBA™ can be used in both horizontal and vertical flow constructed wetland systems. Blowing air through the wetland system

makes the system oxygen unlimited increasing the treatment capacity by up to 15 times. This new technology can treat wastewaters high in BOD, SS, NH₄-N and other organic contaminants.

Forced Bed Aeration™ reed beds can reach performance levels which have been unobtainable in standard reed bed systems with less performance variability. Aeration of horizontal and vertical flow reed beds has multiple advantages.



natural waste water treatment




- FBA™ can completely nitrify wastewater
- FBA™ systems can be deeper than conventional reed beds therefore taking up 50% less space than passive systems.
- Plants thrive in FBA™ systems because the introduced oxygen prevents the formation of toxic products that can stunt plant growth in strongly anaerobic, passive system
- FBA™ reed beds can be divided into aerobic and anoxic zones to both nitrify and denitrify.
- FBA™ reed beds are ideal for treating fluctuating loads such as CSO's and locations with variable occupancy.
- Initial studies indicate FBA™ systems have reduced clogging rates extending the operational life of a treatment system.

technology prevents root rhizomes penetrating the emission points.

Adapting FBA™

FBA™ can be retrofitted to existing reed bed systems, especially those which are overloaded. This prolongs the life of the reed bed and enhance effluent treatment.




Pipelines

FBA™ has a unique network of pipelines which provides a constant flow of oxygen into the reed bed. Patented rootguard

FBA™:

- Improves treatment capability.
- Reduces clogging rates.
- Requires minimum power input.



Graph indicating the treatment performance of an FBA™ wetland system treating cheese production effluent

natural waste water treatment

Asset Assessment & Support Package

Knowledge and proactive management of assets is a key area where water companies can cut operational and capital expenditure. The optimisation and enhancement of remote reed bed treatment systems can secure performance for many years without the need for full site refurbishment and the associated costs.



In the September 2012 issue of *Water & Wastewater Treatment* it was reported by the editor that knowledge by the majority of water companies of the condition of their assets is poor. According to the report from the consultancy company E C Harris, some 90% of maintenance in the UK water industry is reactive. Yet it is well known that proactive maintenance will cut costs by upwards of 50%.

Although this is not the case with all water companies we thought it would be an ideal opportunity to offer a simple solution. ARM Ltd have been designing, constructing, refurbishing and retrofitting reed beds for many of the UK's water companies

for decades. It is for this reason we feel best placed to offer you our new Asset Assessment and Support Package (**AASP**).

Reed beds are generally tucked away in Sewage Treatment Works and because they provide treatment with minimal maintenance requirements often get overlooked until the works are close to breaching consent. Our Asset Assessment and Support Package will highlight the condition of the system and give an indication of when refurbishment may be required. This allows expenditure to be planned and therefore controlled and ensures the works performs to its full capability.



Our Asset Assessment and Support Package works in two ways:

1. Asset Assessment

Visual Appraisal

- Condition of the reeds
- Extent of sludge build up on and in the gravel matrix
- Condition of the flow path
- Site layout and accessibility
- Photographic evidence

Fitness for Purpose

- Review design basis, 'as built' drawings and O & M Manual
- Review current and future loads and recent performance data

Monitoring program

- Sampling and monitoring program to include influent flows/loads and discharge levels to characterise performance

Reporting

- Verbal and written report of the assessment complete with conclusions, recommendations and indicative prices of any required remedial work

2. Support Service

- Asset longevity prediction
- Sampling and monitoring to establish performance
- Refurbish to 'as built'
- Re-engineering to improve performance
- Maintenance
- System operation
- Retrofit with latest technologies to enhance capability

We would be happy discuss any aspects of this service with you and can be contacted at info@armgrouppltd.co.uk or telephone on 01889 583811.